Design your **Perfect Door**



HALLMARK Panels Limited

Valletta House, Valletta Street, Hull, East Yorkshire HU9 5NP Email: enquiries@hallmarkpanels.com

Web: www.hallmarkpanels.com

Ordering: www.thedoorbuilder.com

Tel: +44 (0)1482 703 222

Fax: +44 (0)1482 701 185

© Hallmark Panels Limited 2017

ELITE GENTRY


DOUBLE REBATED DOOR .COLLECTION.







HALLMARK PANELS & DOORS















GRP DOUBLE REBATED DOOR COLLECTION



HERITAGE & **STRENGTH**

Welcome to an exclusive range of hand-crafted Double Rebated GRP Entrance Doors from Hallmark.



















DONNINGTON

Traditional style and strength. The solid, geometric lines of this classic design make it a perfect choice for many entrance doors. Manufactured in a range of standard colours or KolorBonded to your personalised colour of choice.



Donnington Four in RAL 4007 Reflections Glass


3




Donnington Solid Standard Red



Donnington Two Blue Black Diamond Glass




See page 25 for information




Murano Red Red, Blue, Black or Green




Available in Clear, Grey, Green & Blue



Also available in Red, Blue or Black




Also available in Red, Green & Black



Clear Bevels & backing glass choice




Sandblasted glass & clear bevel design




Pewter coloured resin came detailing










Also available in Green, Blue & Red




Gold lead with clear glass bevels



clear glass bevels


Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from. See page 23 for backing glass patterns available.
Please note that lead and bevels are placed on the external glass face on double glazed units.



See page 25 for information

A true classic in the door world. This Victorian / Edwardian style has been a favourite since the turn of the last century. Elegant glass options compliment the traditional styling.

KENDAL



Kendal Two RAL 7016 Black Laptev Glass



Kendal Two RAL 8011 Nut Barite Bevel Glass

Winestead Blue Glass



Kendal Two Blue



Murano

Available in Red, Blue, Green, Black



Sandblasted Mia

Sandblasted glass with clear/obs backing



Sandblasted Ellie

Sandblasted glass with clear squares



Athlone

Pewter coloured resin and clear bevel




Hatfield

Clear Bevels & backing glass choice



Seaton

Clear Bevels & backing glass choice




Grille

Lead, film & bevels & backing glass choice




Clear bevel with black film & lead design




Limerick Black


Also available in Green, Blue & Red



Pewter coloured resin came detailing



Pewter coloured resin came detailing



Cutra Gold

Gold lead with clear glass bevels

Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from. See page 23 for backing glass patterns available.
Please note that lead and bevels are placed on the external glass face on double glazed units.

The PENRITH


In a typically Georgian style, the Penrith door style delivers elegance and style becoming of the period. Numerous modern and traditional glass designs are available to compliment this timeless classic.



Penrith Three RAL 7042 Lead Green Murano Glass




Penrith One Duck Egg Blue Whitton Victoria Glass



See page 25 for information






Whitton Victoria Pewter coloured resin


came detailing

Sandblasted Ellie

Sandblasted glass


design






Blue Diamond

Also available in Red, Black or Green




Murano


Green, Blue, Red & Black fused tiles



Danthorpe Cross

Clear Bevels & backing glass choice






Pewter coloured resin came detailing

Clare



Limerick Black

Also available in Green, Blue & Red



Rockfleet

Lead design with grey



Diamond Leaf

Zinc cameing with clear diamond bevels



Camerton

Clear Bevels & backing glass choice

Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from.

See page 23 for backing glass patterns available.

Please note that lead and bevels are placed on the external glass face on double glazed units.

The **LONGTHORPE**

With its large, bright glazing area, the Longthorpe door design is the perfect choice to let the light flood into your hallway.



Longthorpe One RAL 5015 Sky Blue




Longthorpe One **RAL 7016 Anthracite Grey** Kupang Black Glass

DOUBLE REBATED COMPOSITE DOORS



Longthorpe One Green Danthorpe Cross Glass



See page 25 for information




Climbing Rose

Traditional pewter lead rose design



Winestead

Available in Red, Blue, Grey & Green



Kupang

Available in Black, Red, Blue & Green



Celestine

Classic clear bevel glass tile design



Ebony

Crystal bevel cluster & obscure glass design



Veneto

Lead & bevel design & backing glass design




Rialto

Sandblasted & backing glass design




Danthorpe Cross

Polished zinc cameing & bevel with backing backing choice




Limerick Black

Also available in Green, Blue & Red




Clare

Pewter coloured resin came detaili ng



Palopo

Available in Black, Red, Blue & Green



Rockfleet

Lead design with grey

Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from. See page 23 for backing glass patterns available.

Please note that lead and bevels are placed on the external glass face on double glazed units.

The LUMLEY




Lumley One Red Pyrope Red Glass



Lumley One Blue




Lumley One Chartwell Green Whitton Victoria Glass



Clare

Pewter coloured resin came detailing



Also available in Red, Blue or Black



Celestine

Classic, clear bevel glass tile design

DOUBLE REBATED COMPOSITE DOORS



Ebony

Crystal bevel cluster & obscure glass design




Rockfleet

Lead design with grey film

MODERN



Striking elegance, classic looks plus all the strength and benefits of the double rebated door specification.



See page 25 fo



Durham One RAL 7026 let Glass



Durham One RAL 7026 Grille Lead, Film & Bevel Glass

Durham One RAL 7026 Gold Lead Clare Glass


Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from. See page 23 for backing glass patterns available.

Please note that lead and bevels are placed on the external glass face on double glazed units.

Door slabs are available in a Cottage or Flush Grain finish.

The BEDFORD

Standing tall and strong. The imposing Bedford double rebated door offers the latest in stylish elegance and contemporary features.





Bedford RAL 7043 Traffic Grey
Black Tahoe Glass

Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from.

See page 23 for backing glass patterns available.


Please note that lead and bevels are placed on the external glass face on double glazed units.

Door slabs are available in a Cottage or Flush Grain finish.

DOUBLE REBATED COMPOSITE DOORS

The Warwick











Warwick Four Blue Sanblasted Ellie

Warwick Three RAL 8011 Nut Laptev Black Glass







Door slabs are available in a Cottage or Flush Grain finish.


Limerick Black

The Lewes

The Lewes door uses the same small cassette aperture used in the Donnington, Warwick and Kimbolton designs. This allows glass options from those designs to be used in the Lewes door if preferred.



Lewes Four Standard White Black Bevel Limerick Glass






Lewes Four Standard White Cutra Gold Glass


Door slabs are available in a Cottage or Flush Grain finish.


The Lincoln

The Lincoln door is available as either a two or four vision panel version. The striking, modern design is complimented by our range of ColourBond and glazing options.



See page 25 for information





Lincoln Four BlackDiamond Leaf



Lincoln Four Green Limerick Black



Lincoln Two RAL 7000 Squirrel GreyGrille Lead, Film & Bevel Glass

Door slabs are available in a Cottage or Flush Grain finish.






DOUBLE REBATED COMPOSITE DOORS



The **LONGTOWN**





Timor

Clare

Door slabs are available in a Cottage or Flush Grain finish.

The **KIMBOLTON**



Barite



Roma




Clare













Limerick












The **LANCASTER**



Sandblasted Ellie



Barite



Limerick - Red

19




LANCASTER Black Polar Black Glass

A new and exciting design launched with our double rebate door collection, the Lancaster is a sleek, modern style incorporating a bright, contemporary glazing cassette design.

SLEEK & MODERN

COLLECTION



See page 25 for information



glazed unit makeup. **DOVER** Bullseye Glass Light Ivory RAL 1015



NOTTINGHAM Squirrel Grey RAL 7000



YORK Olive Yellow RAL 1020



OXFORD Pastel Blue RAL 5024

Double and triple glazed units are available on all designs with a choice of backing glass patterns to choose from. See page 23 for backing glass patterns available.

Please note that lead and bevels are placed on the external glass face on double glazed units.

Door slabs are available in a Cottage or Flush Grain finish.

Resilient Efficient

Strength & Durability

The Hallmark GRP Double Rebated Door features embossed GRP and thermoplastic skins that replicate the look of timber. The skins are bonded to a fully reinforced, 68mm thick double rebated PVCu door sash profile. 50% thicker than most other composite doors, the superior specification ensures a weather tight and thermally efficent performance that's of the highest quality.

Superior Performance

- Super-Strength steel reinforced sash & outerframe
- 68mm Slab thickness 54% thicker than a single rebate door
- Hallmark manufactured durable GRP skins 3mm woven roving for increased strength
- Horizontal timber stud support for added strength & support
- High density polyurethane foam core
- Double compression seals to improve weather performance and eliminate draughts.



Safety & Security Tested



BSi Standards

Accredited with the British Standards Institute enhanced security performance requirements for door assemblies - PAS 24

- Super strong steel faceplate
- Deadlocking Latch with snib and nightlatch function if used with a split spindle & pad handle
- Extra centred hookbolt aids compression and adds an extra level of security
- Reversed top and bottom hookbolts providing anti-lift security and aids compression to prevent door bowing
- Outboard adjustable roller cams providing a watertight adjustable seal down the full length of the door.

Multi-Point Locking

It goes without saying, the more locking points you have, the more secure your door will be.

On traditional styles our Double Rebated Doors have multi-point locks incorporating a central hookbolt latch, two further outboard hookbolt latches and additional, adjustable roller cams for even more peace of mind.

AV2 Auto multi-point locking mechanisms are fitted to our range of modern door styles, handle operation and modern asthetic style.





Colour Choice

HALLMARK have made significant investment recently to re-engineer and develop it's Double Rebated Door Collection. The introduction of a new UV and thermally stable ColourBond paint finishing process positions the double rebated doors as an aethetically appealing, affordable luxury product.

Standard Colours















Got a particular colour in mind?

Our paint service is available in all standard RAL and BS colours with the finish carrying a 10 years guarantee with the door.



RAL 1004 GOLDEN YELLOW











CHARTWELL




RAL 5015







RAL 7000









Backing **Glass** Options

Double and triple glazed units are available to order on all designs shown in this brochure* Glazing units can be made up with any of the available backing glass designs.

DOUBLE REBATED COMPOSITE DOORS

















DEE

Hardware

BOW

upgrade

available

Hinge

• 3D adjustable with door in situ

VEE

- Lateral, Vertical & Compression adjustment
- Strong 100kg weight bearing per hinge
- PAS24 Compliant
- Tested to a minimum 100,000 cycle operational

Cotswold

Chantilly


Thermal **Efficiency**

A+ Rated Performance

Hallmark's Double Rebated Doors System delivers superior draught and weather protection through the use of a secondary internal rebated seal not present in standard composite doors.

Thermal efficiency is further enhanced through the use of 6.8mm laminated glass units utilising Edgetech Super Spacer (EN1279 Part 2 and Part 3) to BFRC A+ - C rated thermal performance standards (depending on door style chosen).







Energy **Doors**

Reg. No. D1728

Technical **Specifications**

DOOR Sizing

Door sizing and minimum / maximum allowances are dependant on the style of door chosen. The sizing chart below caters for the majority of designs. Profile add-ons are also available where door opening apperatures need to be adjusted to allow the door to be fitted correctly.

Door sizes shown in this table do not include standard cill heights. If you are adding a cill profile, please add 30mm to the following minium and maxmum heights.

	WIDTH		HEIGHT	
	MIN	MAX	MIN	MAX
72mm - Standard PVCu Threshold	834 mm	970 mm	2009 mm	2170 mm
56mm - Low PVCu Threshold	834 mm	970 mm	1993 mm	2154 mm
44mm - Low Aluminium Threshold	834 mm	970 mm	1982 mm	2142 mm
MDS - Aluminium MDS Thresholds	834 mm	970 mm	1986 mm	2131 mm

What does it mean?


Here's the technical bit... Solar gain is not included in the rating process for external pedestrian doors, however, air leakage rates are taken into account. An 'E' rating is indicative of a U value of 1.8 as allowed for in the current Part L buildings regulations. The 'A' rating reflects the standard of the best performing doors currently available.

DOUBLE REBATED COMPOSITE DOORS

For further information visit www.bfrc.org








44mm Low Aluminium



Aluminium MDS 25



Aluminium MDS80

THRESHOLD Options

As well as the standard 72 mm integral frame threshold, there are a number of lower threshold options available including 44mm aluminium, low 56mm PVCu frame and Aluminium MDS options.